

SANY®

QUALITY CHANGES THE WORLD

HEAVY MACHINERY PRODUCT FAMILY



SANY Heavy Machinery Co., Ltd

三一重机有限公司

Sany Industrial Park, Chenghu Road, Kunshan City, Jiangsu Province

江苏省昆山市澄湖路三一产业园

邮编: 215300

Zip: 215300

<http://www.sanyglobal.com>

SANY HEAVY MACHINERY INTERNATIONAL PRODUCT FAMILY

三一重机海外产品型谱



DIRECTORY 目录

01 /	ABOUT SANY HEAVY MACHINERY CO., LTD 关于三一重机有限公司	01
02 /	SMALL EXCAVATION MACHINERY 小型挖掘机械	03
03 /	MEDIUM EXCAVATION MACHINERY 中型挖掘机械	07
04 /	LARGE EXCAVATION MACHINERY 大型挖掘机械	09
05 /	LOADING MACHINERY 装载机械	11
06 /	PILING MACHINERY 桩工机械	13
07 /	ACCESSORIES 属具选配	19



01 About Sany Heavy Machinery Co., Ltd 关于三一重机有限公司

SANY Heavy Machinery Co., Ltd. stands as the most significant business unit of SANY Group, one of the Fortune Global 500 companies. Headquartered in Kunshan, Jiangsu Province, China, the company operates as a multinational enterprise specializing in the R&D, manufacturing, and sales of earth-moving construction machinery. Its product line includes excavators, rotary drilling rigs, loaders, and more. The company has established machinery production bases in Kunshan, Shanghai, Beijing and Chongqing, along with five overseas production bases in the United States, Germany, India, Brazil and Indonesia. In 2020, SANY's excavators claimed the top spot for global sales.

三一重机有限公司是世界 500 强三一集团最大的核心事业部，总部位于中国江苏省昆山市，是集挖掘机、旋挖钻、装载机等土石方工程机械的研发、制造、销售于一体的国际化企业，在昆山、上海、北京、重庆分别建有主机生产基地，同时拥有美国、德国、印度、巴西和印尼五大海外生产基地。2020 年，三一挖掘机销量全球第一。

Remaining true to its mission of "Quality Changes the World", SANY devotes around 5% of its yearly sales revenue to R&D, all in pursuit of crafting world-class products. SANY's technological innovation prowess has been lauded with the prestigious "National Science and Technology Progress Award" thrice and the "National Technology Invention Award" twice, with the latter being the most esteemed national honor in the China's construction machinery industry. In September 2021, the World Economic Forum (WEF) officially unveiled its list of "Lighthouse Factories" in the global manufacturing industry. SANY Drilling Machinery Factory in Beijing earned a coveted spot, becoming the world's first "Lighthouse Factory" in the heavy industry to receive this prestigious certification. Looking ahead, the company will remain steadfast in its pursuit of digitization, electrification, and internationalization as part of its strategic vision, striving to set a benchmark in the global construction machinery industry while providing exceptional service to customers worldwide.

秉承“品质改变世界”的使命，三一每年将销售收入的 5% 左右用于研发，致力打造世界一流的产品。凭借技术创新实力，三一先后三次荣获“国家科技进步奖”，两次荣获“国家技术发明奖”，成为中国工程机械行业获得的国家级最高荣誉。2021 年 9 月，世界经济论坛 (WEF) 正式发布全球制造业领域“灯塔工厂”名单，三一北京桩机工厂成功入选，成为全球重工行业首家获认证的“灯塔工厂”。未来，公司将持续向数智化、电动化、国际化的战略迈进，打造全球工程机械行业标杆，服务全球客户。



02 SMALL EXCAVATION MACHINERY 小型挖掘机械



SMALL EXCAVATION MACHINERY 小型挖掘机械



SY16C

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 10.3/2200kW/rpm
OPERATING WEIGHT (操作重量): 1.88T
STANDARD BUCKET (斗容): 0.04m³



SY16C

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 14.6/2400kW/rpm
OPERATING WEIGHT (操作重量): 1.83T
STANDARD BUCKET (斗容): -



SY18C

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 14.6/2400kW/rpm
OPERATING WEIGHT (操作重量): 1.96T
STANDARD BUCKET (斗容): -



SY18U

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 14.6/2400kW/rpm
OPERATING WEIGHT (操作重量): 1.93T
STANDARD BUCKET (斗容): -



SY19E

ENGINE POWER (功率): 10/2000kW/rpm
DISCHARGE TIME (续航时间): 4~6h
OPERATING WEIGHT (操作重量): 1.95T
STANDARD BUCKET (斗容): 0.04m³



SY26U

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 15.2/2500kW/rpm
OPERATING WEIGHT (操作重量): 2.76T
STANDARD BUCKET (斗容): -



SY35U

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 20.2/2200kW/rpm
OPERATING WEIGHT (操作重量): 3.86T
STANDARD BUCKET (斗容): 0.12m³



SY35C

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 20.2/2200kW/rpm
OPERATING WEIGHT (操作重量): 3.86T
STANDARD BUCKET (斗容): 0.14m³



SY35U

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 18.2/2200kW/rpm
OPERATING WEIGHT (操作重量): 3.86T
STANDARD BUCKET (斗容): -



SY50U

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 29.1/2400kW/rpm
OPERATING WEIGHT (操作重量): 5.3T
STANDARD BUCKET (斗容): -



SY55C

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 36/2100kW/rpm
OPERATING WEIGHT (操作重量): 5.8T
STANDARD BUCKET (斗容): 0.21m³



SY60C

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 42.4/2000kW/rpm
OPERATING WEIGHT (操作重量): 6T
STANDARD BUCKET (斗容): -



SY60C

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 36/2100kW/rpm
OPERATING WEIGHT (操作重量): 5.8T
STANDARD BUCKET (斗容): 0.21m³



SY75C

EMISSION STANDARD (排放标准): GBII
ENGINE POWER (功率): 40/2100kW/rpm
OPERATING WEIGHT (操作重量): 7.28T
STANDARD BUCKET (斗容): 0.28m³



SY75C

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 43/2200kW/rpm
OPERATING WEIGHT (操作重量): 7.28T
STANDARD BUCKET (斗容): 0.28m³



SY75C

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 42.4/1900kW/rpm
OPERATING WEIGHT (操作重量): 7.28T
STANDARD BUCKET (斗容): 0.28m³



SY80U

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 53.7/2100kW/rpm
OPERATING WEIGHT (操作重量): 8.8T
STANDARD BUCKET (斗容): -



SY95C

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 53.7/2100kW/rpm
OPERATING WEIGHT (操作重量): 9.18T
STANDARD BUCKET (斗容): -



SY135C

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 73/2000kW/rpm
OPERATING WEIGHT (操作重量): 13.5T
STANDARD BUCKET (斗容): 0.6m³



SY135C

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 78.5/2000kW/rpm
OPERATING WEIGHT (操作重量): 14.8T
STANDARD BUCKET (斗容): -



SMALL EXCAVATION MACHINERY
小型挖掘机械



SY135C
EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 73/2000kW/rpm
OPERATING WEIGHT (操作重量): 14.2T
STANDARD BUCKET (斗容): 0.6m³



SY135F
EMISSION STANDARD (排放标准): GBII
ENGINE POWER (功率): 72.7/2200kW/rpm
OPERATING WEIGHT (操作重量): 18T
STANDARD BUCKET (斗容): -



SY135F
EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 86/2200kW/rpm
OPERATING WEIGHT (操作重量): 18T
STANDARD BUCKET (斗容): -



SY140C
EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 73/2000kW/rpm
OPERATING WEIGHT (操作重量): 14.2T
STANDARD BUCKET (斗容): 0.6m³



SY155U
EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 78.5/2000kW/rpm
OPERATING WEIGHT (操作重量): 16T
STANDARD BUCKET (斗容): -



SY155H
EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 84/2200kW/rpm
OPERATING WEIGHT (操作重量): 14.2T
STANDARD BUCKET (斗容): 0.65m³



SY65W
EMISSION STANDARD (排放标准): GBIV
ENGINE POWER (功率): 53.7/2100kW/rpm
OPERATING WEIGHT (操作重量): 6.0T
STANDARD BUCKET (斗容): 0.23m³



SY155W
EMISSION STANDARD (排放标准): GBIV
ENGINE POWER (功率): 128.4/2000kW/rpm
OPERATING WEIGHT (操作重量): 14.1T
STANDARD BUCKET (斗容): 0.6m³



SY155W
EMISSION STANDARD (排放标准): Stage V/Tier 5
ENGINE POWER (功率): 115/2000kW/rpm
OPERATING WEIGHT (操作重量): 15T
STANDARD BUCKET (斗容): -



SY215W
EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 120/2000kW/rpm
OPERATING WEIGHT (操作重量): 21.5T
STANDARD BUCKET (斗容): 0.93m³



SY215W
EMISSION STANDARD (排放标准): GBIV
ENGINE POWER (功率): 128.4/2000kW/rpm
OPERATING WEIGHT (操作重量): 21.5T
STANDARD BUCKET (斗容): 0.93m³



BHL75
EMISSION STANDARD (排放标准): Stage III
ENGINE POWER (功率): 74/2200kW/rpm
OPERATING WEIGHT (操作重量): 7.65T
STANDARD BUCKET (斗容): 1.0m³/0.2m³



SLB95
EMISSION STANDARD (排放标准): Tier 4f
ENGINE POWER (功率): 74/2200kW/rpm
OPERATING WEIGHT (操作重量): 7.65T
STANDARD BUCKET (斗容): 1.0m³/0.2m³

0/3 MEDIUM EXCAVATION MACHINERY 中型挖掘机械



MEDIUM EXCAVATION MACHINERY 中型挖掘机械



SY200H SUPER

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 133/2000kW/rpm
OPERATING WEIGHT (操作重量): 21.5T
STANDARD BUCKET (斗容): 0.93m³



SY215C

EMISSION STANDARD (排放标准): Stage II
ENGINE POWER (功率): 114/2050kW/rpm
OPERATING WEIGHT (操作重量): 21.9T
STANDARD BUCKET (斗容): 0.93m³



SY215C ACE

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 118/2000kW/rpm
OPERATING WEIGHT (操作重量): 21.9T
STANDARD BUCKET (斗容): 1.1m³



SY215H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 133/2000kW/rpm
OPERATING WEIGHT (操作重量): 21.9T
STANDARD BUCKET (斗容): 1.1m³



SY215C LC

EMISSION STANDARD (排放标准): Stage IV
ENGINE POWER (功率): 122/2300kW/rpm
OPERATING WEIGHT (操作重量): 23.55T
STANDARD BUCKET (斗容): -



SY215C LC

EMISSION STANDARD (排放标准): Stage V
ENGINE POWER (功率): 129/2300kW/rpm
OPERATING WEIGHT (操作重量): 23.55T
STANDARD BUCKET (斗容): -



SY215NLC

EMISSION STANDARD (排放标准): Stage V
ENGINE POWER (功率): 129/2300kW/rpm
OPERATING WEIGHT (操作重量): 22.6T
STANDARD BUCKET (斗容): -



SY215E

ENGINE POWER (功率): 150kW/rpm
DISCHARGE TIME (续航时间): 6-8h
OPERATING WEIGHT (操作重量): 23.2T
STANDARD BUCKET (斗容): 1.1m³



SY225C LC

EMISSION STANDARD (排放标准): Stage IV
ENGINE POWER (功率): 122/2300kW/rpm
OPERATING WEIGHT (操作重量): 24.5
STANDARD BUCKET (斗容): -



SY245H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 147/2100kW/rpm
OPERATING WEIGHT (操作重量): 25.5T
STANDARD BUCKET (斗容): 1.3m³



SY265C LC

EMISSION STANDARD (排放标准): Stage IV
ENGINE POWER (功率): 142/2000kW/rpm
OPERATING WEIGHT (操作重量): 27T
STANDARD BUCKET (斗容): 1.3m³



SY265C LC

EMISSION STANDARD (排放标准): Stage V
ENGINE POWER (功率): 145/2000kW/rpm
OPERATING WEIGHT (操作重量): 27T
STANDARD BUCKET (斗容): 1.3m³



SY305C LC

EMISSION STANDARD (排放标准): Stage V
ENGINE POWER (功率): 209/2100kW/rpm
OPERATING WEIGHT (操作重量): 32.3T
STANDARD BUCKET (斗容): 1.7m³



SY330H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 212/2000kW/rpm
OPERATING WEIGHT (操作重量): 31.5T
STANDARD BUCKET (斗容): 1.65m³



SY335C

EMISSION STANDARD (排放标准): Stage II
ENGINE POWER (功率): 190.5/2000kW/rpm
OPERATING WEIGHT (操作重量): 34.3T
STANDARD BUCKET (斗容): 1.5m³



SY335C LC

EMISSION STANDARD (排放标准): Stage V
ENGINE POWER (功率): 209/2100kW/rpm
OPERATING WEIGHT (操作重量): 33.6T
STANDARD BUCKET (斗容): 1.7m³



SY365C

EMISSION STANDARD (排放标准): Stage IV
ENGINE POWER (功率): 205/2200kW/rpm
OPERATING WEIGHT (操作重量): 36.7T
STANDARD BUCKET (斗容): 1.68m³

04 LARGE EXCAVATION MACHINERY 大型挖掘机械

LARGE EXCAVATION MACHINERY 大型挖掘机械



SY365H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 212/2000kW/rpm
OPERATING WEIGHT (操作重量): 36.5T
STANDARD BUCKET (斗容): 1.6m³



SY365H

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 231/2100kW/rpm
OPERATING WEIGHT (操作重量): 39T
STANDARD BUCKET (斗容): 1.9m³



SY375H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 212/2000kW/rpm
OPERATING WEIGHT (操作重量): 37.5T
STANDARD BUCKET (斗容): 1.9m³



SY385C/H

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 231/2100kW/rpm
OPERATING WEIGHT (操作重量): 39T
STANDARD BUCKET (斗容): 1.9m³



SY390H

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 252/1800kW/rpm
OPERATING WEIGHT (操作重量): 40T
STANDARD BUCKET (斗容): 1.9m³



SY415H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 257/2000kW/rpm
OPERATING WEIGHT (操作重量): 41.5T
STANDARD BUCKET (斗容): 2.2m³



SY500H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 300/1800kW/rpm
OPERATING WEIGHT (操作重量): 49.5T
STANDARD BUCKET (斗容): 2.5m³



SY500H

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 298/2100kW/rpm
OPERATING WEIGHT (操作重量): 50.5 ~ 54.5T
STANDARD BUCKET (斗容): 2.95m³



SY550HD

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 300/1800kW/rpm
OPERATING WEIGHT (操作重量): 52T
STANDARD BUCKET (斗容): 3.1m³



SY650HB

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 345/1800kW/rpm
OPERATING WEIGHT (操作重量): 63.2T
STANDARD BUCKET (斗容): 3.5m³



SY750H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 377/1800kW/rpm
OPERATING WEIGHT (操作重量): 76.2T
STANDARD BUCKET (斗容): 4.6m³



SY750H

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 391/1800kW/rpm
OPERATING WEIGHT (操作重量): 78.5T
STANDARD BUCKET (斗容): 5.0m³



SY870H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 377/1800kW/rpm
OPERATING WEIGHT (操作重量): 78.6T
STANDARD BUCKET (斗容): 5.4m³



SY980H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 425/1800kW/rpm
OPERATING WEIGHT (操作重量): 95.8T
STANDARD BUCKET (斗容): 6.5m³



SY980H

EMISSION STANDARD (排放标准): Stage V
ENGINE POWER (功率): 478/1900kW/rpm
OPERATING WEIGHT (操作重量): 94.5T
STANDARD BUCKET (斗容): 6.5m³



SY1250H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 567/1800kW/rpm
OPERATING WEIGHT (操作重量): 125T
STANDARD BUCKET (斗容): 8.0m³



SYC6028/SY500H

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 300/1800kW/rpm
OPERATING WEIGHT (操作重量): 64T
STANDARD BUCKET (斗容): -



SYC6028/SY500H

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 298/2100kW/rpm
OPERATING WEIGHT (操作重量): 64T
STANDARD BUCKET (斗容): -

0/5 LOADING MACHINERY 装载机



LOADING MACHINERY 装载机



SW936K

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 92/2200kW/rpm
RATED LOAD (额定负载): 3.5T
STANDARD BUCKET (斗容): 2.0m³



SW936K

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 97/2200kW/rpm
RATED LOAD (额定负载): 3.5T
STANDARD BUCKET (斗容): 2.0m³



SW936K

EMISSION STANDARD (排放标准): GBII
ENGINE POWER (功率): 105/2200kW/rpm
RATED LOAD (额定负载): 3.5T
STANDARD BUCKET (斗容): 2.0m³



SW953K

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 162/2000kW/rpm
RATED LOAD (额定负载): 5.0T
STANDARD BUCKET (斗容): 2.8m³



SW955K

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 162/2000kW/rpm
RATED LOAD (额定负载): 5.5T
STANDARD BUCKET (斗容): 3.0m³



SYL956H5

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 164/2000kW/rpm
RATED LOAD (额定负载): 5.0T
STANDARD BUCKET (斗容): 3.0m³



SW956E

ENGINE POWER (功率): 225/2300kW/rpm
DISCHARGE TIME (卸载时间): 4~6h
RATED LOAD (额定负载): 5.8T
STANDARD BUCKET (斗容): 3.5m³



SW305K

EMISSION STANDARD (排放标准): Tier 4F
ENGINE POWER (功率): 135/2200kW/rpm
RATED LOAD (额定负载): 4.0T
STANDARD BUCKET (斗容): 2.3m³



SW305K5

EMISSION STANDARD (排放标准): Stage V
ENGINE POWER (功率): 129/2200kW/rpm
RATED LOAD (额定负载): 4.0T
STANDARD BUCKET (斗容): 2.3m³



SW405K

EMISSION STANDARD (排放标准): Tier 4F
ENGINE POWER (功率): 170/2300kW/rpm
RATED LOAD (额定负载): 5.0T
STANDARD BUCKET (斗容): 3.0m³



SW405K5

EMISSION STANDARD (排放标准): Stage V
ENGINE POWER (功率): 170/2300kW/rpm
RATED LOAD (额定负载): 5.0T
STANDARD BUCKET (斗容): 3.0m³



SW966K

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 178/2200kW/rpm
RATED LOAD (额定负载): 6.0T
STANDARD BUCKET (斗容): 4.2m³



SW978K

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 210/2200kW/rpm
RATED LOAD (额定负载): 7.0T
STANDARD BUCKET (斗容): 5.0m³

0/6 PILING MACHINERY 桩工机械



PILING MACHINERY 桩工机械



SR65

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 84/2200kW/rpm
OPERATING WEIGHT (操作重量): 23T
DRILLING DEPTH (钻孔深度): 27/20m




SR125

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 133/2000kW/rpm
OPERATING WEIGHT (操作重量): 37T
DRILLING DEPTH (钻孔深度): 45/36m



SR125MIII

DRILLING DEPTH (CFA 钻深): 21m
DRILL DIAMETER (CFA 孔径): 800mm
LIFTING FORCE (提升力): 380kN
OPERATING WEIGHT (操作重量): 33.6T



SR125MV

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 149/2200kW/rpm
DRILLING DEPTH (CFA 钻深): 21.5m
LIFTING FORCE (提升力): 300kN



SR155

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 147/2100kW/rpm
OPERATING WEIGHT (操作重量): 48T
DRILLING DEPTH (钻孔深度): 55/44m




SR175S

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 147/2100kW/rpm
OPERATING WEIGHT (操作重量): 51T
DRILLING DEPTH (钻孔深度): 55/44m



SR185

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 212/2000kW/rpm
OPERATING WEIGHT (操作重量): 63T
DRILLING DEPTH (钻孔深度): 59/47m



SR185MIII

DRILLING DEPTH (CFA 钻深): 21m
DRILL DIAMETER (CFA 孔径): 900mm
LIFTING FORCE (提升力): 480kN
OPERATING WEIGHT (操作重量): 65T



SR215

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 212/2000kW/rpm
OPERATING WEIGHT (操作重量): 65T
DRILLING DEPTH (钻孔深度): 64/51m



SR235

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 257/2000kW/rpm
OPERATING WEIGHT (操作重量): 81T
DRILLING DEPTH (钻孔深度): 68/52m



SR235MIII

DRILLING DEPTH (CFA 钻深): 25.5m
DRILL DIAMETER (CFA 钻径): 1000mm
LIFTING FORCE (提升力): 800kN
OPERATING WEIGHT (操作重量): 90T



SR235MV

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 265/2000kW/rpm
DRILLING DEPTH (CFA 钻深): 25.5m
LIFTING FORCE (提升力): 800kN



SR285MV

EMISSION STANDARD (排放标准): Stage V/Tier 4f
ENGINE POWER (功率): 345/1800kW/rpm
DRILLING DEPTH (CFA 钻深): 27m
LIFTING FORCE (提升力): 1000kN



SR305R

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 300/1800kW/rpm
OPERATING WEIGHT (操作重量): 105T
DRILLING DEPTH (钻孔深度): 100/65m



SR360R

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 300/1800kW/rpm
OPERATING WEIGHT (操作重量): 120T
DRILLING DEPTH (钻孔深度): 100/65m



SR400RW10

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 300/1800kW/rpm
OPERATING WEIGHT (操作重量): 137T
DRILLING DEPTH (钻孔深度): 105/86m



SR235-DW

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 257/2000kW/rpm
GROOVE SIZE (成槽尺寸): 1.2m x 2.5m
GROOVE DEPTH (成槽深度): 35m




SR265C10

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 257/2000kW/rpm
OPERATING WEIGHT (操作重量): 85T
DRILLING DEPTH (钻孔深度): 73/56m




SR285R

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 300/1800kW/rpm
OPERATING WEIGHT (操作重量): 100T
DRILLING DEPTH (钻孔深度): 94/61m



SR285MIII

DRILLING DEPTH (CFA 钻深): 27m
DRILL DIAMETER (CFA 钻径): 1200mm
LIFTING FORCE (提升力): 1000kN
OPERATING WEIGHT (操作重量): 108T



SR405RHK

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 377/1800kW/rpm
OPERATING WEIGHT (操作重量): 131T
DRILLING DEPTH (钻孔深度): 103/84m



SR405RW

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 377/1800kW/rpm
OPERATING WEIGHT (操作重量): 131T
DRILLING DEPTH (钻孔深度): 103/84m



SR435W

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 377/1800kW/rpm
OPERATING WEIGHT (操作重量): 138T
DRILLING DEPTH (钻孔深度): 110/72m



SR455-S

EMISSION STANDARD (排放标准): GB IV/Stage V/Tier 4f
ENGINE POWER (功率): 405/1900kW/rpm
OPERATING WEIGHT (操作重量): 158T
DRILLING DEPTH (钻孔深度): 110/90m



SR505-S

EMISSION STANDARD (排放标准): GB IV/Stage V/Tier 4f
ENGINE POWER (功率): 405/1900kW/rpm
OPERATING WEIGHT (操作重量): 178T
DRILLING DEPTH (钻孔深度): 116/95m



SH500

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 257/2000kW/rpm
GROOVE SIZE (成槽尺寸): 1.2m x 2.8m
GROOVE DEPTH (成槽深度): 80m



SH700

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 300/1800kW/rpm
GROOVE SIZE (成槽尺寸): 1.5m x 2.8m
GROOVE DEPTH (成槽深度): 80m



SDC120

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 570.5/1800kW/rpm
GROOVE SIZE (成槽尺寸): 1.8m x 2.8m
GROOVE DEPTH (成槽深度): 120m



SD520

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 212/2000kW/rpm
THRUST AND PULLBACK FORCE (推拉力): 580kN
TORSION (扭矩): 30000N·m



SD390

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 154/2200kW/rpm
THRUST AND PULLBACK FORCE (推拉力): 400kN
TORSION (扭矩): 14500N·m



SD450

EMISSION STANDARD (排放标准): GBIII
ENGINE POWER (功率): 179/2200kW/rpm
THRUST AND PULLBACK FORCE (推拉力): 450kN
TORSION (扭矩): 22000N·m




ACCESSORIES FOR MINING PURPOSE
矿山属具



Hydraulic breaker
(破碎锤)



Ripper
(松土器)



High-frequency hydraulic breaking
(高频破碎锤)



Milling machines
(铣挖机)

ACCESSORIES FOR FORESTRY PURPOSE
林业属具



Log grapple with fixed lower jaw
(固定下颚木抓)



Log grapple with interlocked upper and low jaws
(上下颚联动木抓)



Log grapple with extended bucket rod
(加长斗杆木抓)



Feller
(伐木器)



Hugging wood grab
(抱式抓木器)



360° slewing log grapple with fixed single cylinder (triple-tooth)
(固定式单油缸360度回转木抓3+2齿)

ACCESSORIES FOR FORESTRY PURPOSE
林业属具



360° slewing log grapple with fixed dual cylinders (triple-tooth)
(固定式双油缸360度回转木抓3+2齿)



Clamp bucket
(铲斗夹)

DEMOLITION & MATERIAL HANDLING
拆除&物料处理



Sorting garb
(拆除分拣斗)



360° slewing hydraulic shear
(360度回转液压压剪)



Clamshell grab bucket
(贝壳斗)



Lotus grasping
(莲花抓)



Orange segment grabbing
(橘瓣抓)




Electromagnetic chuck
(电磁吸盘)



V-shaped grab bucket
(叉式抓斗)



Pulverizer
(粉碎钳)



Vibration rammer
(震动夯)

*THE PICTURES ARE FOR REFERENCE ONLY, PLEASE REFER TO THE ACTUAL PRODUCT.

■ SANY LOADING MACHINE IN THE UNITED STATES



■ SANY PILING MACHINE IN EGYPT



■ SANY DEMOLITION MACHINE IN EUROPE



■ SANY EXCAVATOR MACHINE IN SAUDI ARABIA





